Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	21	(north bridge) with (memory module) with control$4	USPAT	ADJ	ON	2005/10/12 14:28
L2	1	(north bridge) with (memory module) same POST	USPAT	ADJ	ON	2005/10/12 14:36
L4	234	(manufacturer adj2 (information or data or identification or id)) near4 (memory or module)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/12 14:38
L6	128	(manufacturer adj2 (information or data or identification or id)) near4 (stor$3) near4 (memory or module)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/12 14:39
L7	10	(manufacturer adj2 (information or data or identification or id)) near4 (stor$3) near4 (memory or module) and BIOS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/12 14:40
L8	2	(manufacturer adj2 (information)) near4 (stor$3) near4 (module)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/12 14:42
L9	48	(manufacturer adj2 (information)) near4 (stor$3) near4 (memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/12 14:42
S1	2	("5862320" or "6047343").pn.	USPAT	ADJ	ON	2005/10/07 07:56
S3	1	"20040117581"	US-PGPUB; USPAT	ADJ	ON	2005/10/07 07:01
S4	561	serial presence detect	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/07 07:01
S5	5	serial presence detect and multi-channel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/07 07:02

S6	65	((multi-channel or multiple channel or multi channel or multichannel or multiple-channel) near8 (mode or bus)) same (memory near3 (device or unit or module))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/07 09:38
S7	33	((multi-channel or multiple channel or multi channel or multichannel or multiple-channel) with (memory near5 bus)) and ("711"/$4 or "710"/$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/07 08:30
S8	27	S7 not S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/07 08:18
S9	71	((multi-channel or multiple channel or multi channel or multichannel or multiple-channel) near8 mode) with (display$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/07 08:36
S10	5	((multi-channel or multiple channel or multi channel or multichannel or multiple-channel) near8 mode) with (display$3) with bus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/07 08:33
S11	24	(multi-channel or multiple channel or multi channel or multichannel or multiple-channel) with (display$3) with bus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/07 08:33
S12	65	S9 not S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/07 08:37
S13	8198	(711/5 or 711/147 or 711/148 or 711/149 or 711/150 or 711/170 or 711/171 or 711/171 or 711/172 or 711/173)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/07 08:42

S14	36	((multi-channel or multiple channel or multi channel or multichannel or multiple-channel) with (mode or bus)) and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/07 10:13
S15	2	"6545875".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/07 08:49
S16	1897	710/16 or 710/104	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/07 08:56
S17	18	((multi-channel or multiple channel or multi channel or multichannel or multiple-channel) with (mode or bus)) and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/07 09:01
S19	4	((multi-channel or multiple channel or multi channel or multichannel or multiple-channel) near8 (mode or bus)) same (((read$3 or receiv$3 request$4) near4 (data or information)) near8 (memory near4 (module or unit or bank)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/07 09:05
S20	1	"20040117581"	US-PGPUB; USPAT	ADJ	ON	2005/10/07 09:36
S21	4929	(multi-channel or multiple channel or multi channel or multichannel or multiple-channel) same (single channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/07 09:40
S22	2770	((determin$5 or decid$4 or decision) with (multi-channel or multiple channel or multi channel or multichannel or multiple-channel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/07 09:43
S23	99	((determin$5 or decid$4 or decision) with (multi-channel or multiple channel or multi channel or multichannel or multiple-channel)) with mode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/07 09:43

S24	47	((determin$5) near8 (multi-channel or multiple channel or multi channel or multichannel or multiple-channel)) near8 mode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/07 10:31
S25	1908	711/141	US-PGPUB; USPAT	ADJ	ON	2005/10/07 10:13
S27	7	((multi-channel or multiple channel or multi channel or multichannel or multiple-channel) with (mode or bus)) and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/07 10:17
S28	10968	(multi-channel or multiple channel or multi channel or multichannel or multiple-channel) near16 (output$4 or display$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/07 10:18
S29	2069	(multi-channel or multiple channel or multi channel or multichannel or multiple-channel) near16 (display$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/07 10:19
S30	69	((multi-channel or multiple channel or multi channel or multichannel or multiple-channel) near8 mode) near16 (display$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/07 10:19
S31	64	((multi-channel or multiple channel or multi channel or multichannel or multiple-channel) near8 mode) near10 (display$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/07 10:20
S32	53	((multi-channel or multiple channel or multi channel or multichannel or multiple-channel) near4 mode) near10 (display$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/07 10:25
S33	430	display$3 near6 (channel adj3 mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/07 10:26

S34	69	S33 and (memory near3 (unit or module or bank))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/07 10:29
S35	10	S33 and ((memory near3 (unit or module or bank)) with bus)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/07 10:26
S36	59	S34 not S35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/07 10:31
S37	115	(multi-channel or multiple channel or multi channel or multichannel or multiple-channel) with (single-channel or single channel) with mode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/07 10:32
S38	3	whether with (multi-channel or multiple channel or multi channel or multichannel or multiple-channel) with (single-channel or single channel) with mode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/07 10:33
S39	5	(determin$5) with (multi-channel or multiple channel or multi channel or multichannel or multiple-channel) with (single-channel or single channel) with mode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/07 10:34
S40	5845	(spd or (serial prsence detect$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/07 11:24
S41	77396	(multi-channel or multiple channel or multi channel or multichannel or multiple-channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/07 10:44

S42	318	S40 and S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/07 10:44
S45	7	(spd or (serial prsence detect$4)) same (multi-channel or multiple channel or multi channel or multichannel or multiple-channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/07 11:24
S46	22	("5390308" | "5701438" | "5748554" | "5799209" | "5913046").PN. OR ("6003121").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2005/10/07 11:01
S47	1	(serial presence detect$4) same (multi-channel or multiple channel or multi channel or multichannel or multiple-channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/07 12:09
S48	26	(serial presence detect$4) and (multi-channel or multiple channel or multi channel or multichannel or multiple-channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/07 12:10
S49	26	S48 not S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/07 12:10
S51	1872	(display$3 or output$4) near6 (channel near3 mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/11 08:10
S52	8223	(711/5 or 711/147 or 711/148 or 711/149 or 711/150 or 711/170 or 711/171 or 711/171 or 711/172 or 711/173)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/11 08:01
S53	5	S51 and S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/11 08:05

S54	25502	"710"/$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/11 08:05
S55	30	S51 and S54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/11 08:05
S56	1854	(display$3 or output$4) near6 (arrang$5 or configur$5) near6 (memory near3 (module or device or bank))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/11 08:11
S57	76	S56 and S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/11 08:10
S58	478	(display$3) near6 (arrang$5 or configur$5) near6 (memory near3 (module or device or bank))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/11 08:11
S59	0	S58 abd S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/11 08:11
S60	0	S58 abd S54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/11 08:11
S61	38695	(display$3) near6 (arrang$5 or configur$5) near6 (module or device or bank)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/11 08:12

S62	26722	(display$3) near4 (arrang$5 or configur$5) near4 (module or device or bank)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/11 08:12
S64	242	(display$3) near4 (arrang$5 or configur$5) near4 (module or device or bank) with channel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/11 08:16
S65	5	S64 and S54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/11 08:15
S66	29881	"711"/$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/11 08:15
S67	1	S64 and S66	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/11 08:15
S68	8	(display$3) near4 (arrang$5 or configur$5) near4 (module or device or bank) with (multi-channel or multiple channel or multi channel or multichannel or multiple-channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/11 08:22
S69	12	(display$3 or output$3) with ((multi-channel or multiple channel or multi channel or multichannel or multiple-channel) near6 mode) with bus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/11 08:26
S70	8	(display$3 or output$3) near8 (bus near3 information) near8 (channel$3 near4 memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/11 08:30

S71	1	(display$3 or output$3) near8 ((multi-channel or multiple channel or multi channel or multichannel or multiple-channel) near6 mode) near8 (bus near3 information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/11 08:30
S72	1	(display$3 or output$3) with ((multi-channel or multiple channel or multi channel or multichannel or multiple-channel) near6 mode) with (bus near3 information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/11 08:31
S73	4	(display$3 or output$3) with (multi-channel or multiple channel or multi channel or multichannel or multiple-channel) with (bus near3 information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/11 08:33
S74	37547	(display$3 or output$3) with (channel$2 near6 (module or unit or device or bank))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/11 08:34
S75	843	((display$3 or output$3) near6 bus) with (channel$2 near6 (module or unit or device or bank))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/11 08:34
S76	69	((display$3) near6 bus) with (channel$2 near6 (module or unit or device or bank))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/11 08:40
S77	11	(output$4 or display$3) adj3 (multi-channel or multiple channel or multi channel or multichannel or multiple-channel) adj3 mode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/11 08:40
S78	25	motherboard near6 display$3 near6 screen	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/11 11:18

S80	11	(mother board or mother-board) near6 display$3 near6 screen	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/11 11:07
S81	51	(motherboard or mother board or mother-board) near6 display$3 near6 memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/11 11:14
S82	131	(motherboard or mother board or mother-board) near6 display$3 with module	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/11 11:16
S84	0	(motherboard or mother board or mother-board) near6 display$3 with module with (multi-channel or multiple channel or multi channel or multichannel or multiple-channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/11 11:16
S85	0	(motherboard or mother board or mother-board) near6 display$3 with (multi-channel or multiple channel or multi channel or multichannel or multiple-channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/11 11:17
S86	0	(motherboard or mother board or mother-board) near6 display$3 same (multi-channel or multiple channel or multi channel or multichannel or multiple-channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/11 11:17
S87	6	(motherboard or mother board or mother-board) near6 display$3 with (channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/11 11:17
S89	4	(mother board or motherboard or mother-board) near6 output$4 near6 screen	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/11 11:18
S90	1	"6095674".pn.	USPAT	ADJ	ON	2005/10/12 10:55
S91	1	"20040230701"	US-PGPUB; USPAT	ADJ	ON	2005/10/12 11:06

| S92 | 9 | display$3 near10 memory near10 configur$5 with BIOS | US-PGPUB; USPAT | ADJ | ON | 2005/10/12 11:06 |
| S93 | 42 | (north bridge) with (memory module) | USPAT | ADJ | ON | 2005/10/12 14:25 |